

[Customized] Power Savings: Hard Disk Timeout: [Off] Video Timeout: [Off] Standby Timeout: [4 Minutes] Auto Suspend Timeout: [15 Minutes] [Suspend] Suspend Mode: Auto Save To Disk: [Off] Resume On Modem Ring: [Off] Resume On Time: [Off] [00:00:00] Resume Time:

FIG. 3




FIG. 4





FIG. 5



ON ATAO	NAME OF SETTING	
יאורען אואט		
8	NONE	CHOCATON NOTE CONTINUED TO THE CONTINUED CONTI
01	HARD DISK TIMEOUT	THE TIME IS SET UP TO WHEN THE HARD DISK MOTOR WILL BE STOFFED IF THERE IS NO ACCESS TO THE HARD DISK FOR A FIXED TIME.
02	VIDEO TIMEOUT	THE TIME IS SET UP TO WHEN THE DISPLAY OF THE DISPLAY DEVICE (LIQUID CRYSTAL/CRT) WILL BE EXTINGUISHED IF THERE IS NO DATA INPUT FROM THE KEYS OR MOUSE FOR A FIXED TIME.
03	IDLE MODE	WHETHER OR NOT THE TO USE THE IDLE MODE (STATE IN WHICH THE SPEED OF THE CPU CLOCK IS AUTOMATICALLY DROPPED) IS SET WHEN THERE IS NO KEY/MOUSE INPUT OR DATA INPUT/OUTPUT FOR A FIXED TIME.
04	STANDBY TIMEOUT	THE TIME IS SET UP TO WHEN STANDBY MODE (STATE IN WHICH THE DISPLAY DEVICE DISPLAY IS EXTINGUISHED AND THE HARD DRIVE IS STOPPED) WILL BE ENTERED IF THERE IS NO DATA INPUT FROM THE KEYS OR MOUSE FOR A FIXED TIME.
05	AUTO SUSPEND TIMEOUT	THE TIME IS SET UP TO WHEN MOVING TO SUSPEND MODE (DISPLAY ON THE DISPLAY DEVICE IS EXTINGUISHED, THE HARD DRIVE IS SUSPENDED, AND THE CPU IS STOPPED) IS ENTERED.

255TH BYTE	00
THIRD BYTE	00
SECOND BYTE	90
FIRST BYTE	04

FIG. 7